

VELORATEC

PVC SYNTHETIC LEATHER CATALOG

Custom upholstery material solutions for automotive, furniture,
footwear and industrial applications

20+ Years

PVC leather industry experience

OEM / ODM

Custom embossing, colors,
backing and thickness

Fast Sampling

Physical samples
and specification
confirmation available

Company Profile

Material supplier focused on PVC synthetic leather and coated fabric customization

VELORATEC supplies PVC synthetic leather, PVC coated fabric and PVC soft film for international buyers who need stable quality, flexible customization and practical export support.

We work with buyers in automotive accessories, furniture upholstery, footwear, bags, stationery and industrial products. The catalog focuses on practical order communication: specification options, application matching, sample confirmation and production control.

Core positioning: professional manufacturer and material solution partner for customized PVC artificial leather.

Product Scope

PVC leather / PVC coated fabric / embossed leather / upholstery material

Typical Buyer Needs

Stable color, repeatable texture, target-price development, small-batch sample verification, export documentation support

Why buyers work with us

Custom specification development - Material matching by application - Physical sample confirmation - Flexible backing and embossing - Export-oriented communication



Product Overview

PVC synthetic leather for practical, high-usage B2B applications



Item	Reference Range / Option
Material	PVC synthetic leather / PVC coated fabric
Width	1.40 m - 1.63 m, customizable by product structure
Thickness	0.70 mm - 1.20 mm, can be adjusted by target use
Backing	Polyester, TC fabric, knitted backing, customized backing options
Surface	Smooth, semi-smooth, matte, pebble grain, embossed, stitched/quilted effect
Key Features	Waterproof, abrasion-resistant, anti-mildew options, easy-clean surface
Packing	Rolls with PE film; carton or export packing can be discussed
Trade Terms	FOB Xiamen, CIF destination port, EXW or other terms by order requirement

Note: All technical data above are reference ranges. Final specification should be confirmed by sample, production lot, quotation and purchase contract.

Application Matching

Select the right surface, backing and hand-feel by end product



Automotive Seat Covers

Matte or semi-matte pebble grain, good wear resistance, stable color, optional TC/polyester backing.



Sofa & Furniture Upholstery

Soft touch, large-area consistency, easy-clean surface, color matching for home/interior series.



Footwear & Sandals

Flexible hand-feel, surface durability, customized colors and embossing for seasonal styles.



Bags & Accessories

Structured surface, repeatable grain, custom color cards and logo/texture development.

For high-wear use such as car seats, confirm abrasion, color fastness, cold resistance and backing strength according to the buyer's target market and test standard.

Customization Capability

From buyer sample to production-ready material

Process	What We Confirm
1. Sample / Target Price	Buyer sends physical sample, application photo, target specification or target price.
2. Material Matching	Confirm PVC layer, thickness, backing, hand-feel, embossing and color direction.
3. Color & Texture Development	Develop color card, grain selection, matte/gloss level and surface treatment.
4. Sample Confirmation	Send lab sample or small roll sample for buyer approval before bulk order.
5. Bulk Production Control	Control color consistency, roll packing, quantity, width, thickness and shipping documents.

Thickness

Width

Backing


Embossing

Color

Matte / Gloss



Hand-feel

Packing



Surface, Backing & Color Options

Build a product series with consistent specification logic

	VR-01 Custom color matching, embossing depth and surface finish available.
	VR-02 Custom color matching, embossing depth and surface finish available.
	VR-03 Custom color matching, embossing depth and surface finish available.
	VR-04 Custom color matching, embossing depth and surface finish available.
	VR-05 Custom color matching, embossing depth and surface finish available.
	VR-06 Custom color matching, embossing depth and surface finish available.

Backing selection: Polyester or TC backing is commonly used for upholstery and automotive accessories. Knitted, nonwoven or customized backing can be discussed according to strength, elasticity, hand-feel and cost target.



Quality Control & Order Communication

Make the order clear before production starts

Control Point	Confirmation Method
Color	Approved sample / color card / production lot comparison
Width & Thickness	Measured before shipment according to contract tolerance
Surface Grain	Buyer-approved embossing sample or reference material
Backing Strength	Application-based hand test or lab test when required
Packing	Roll length, PE film, shipping mark and carton/pallet requirement
Documents	PI, Commercial Invoice, Packing List, HS code confirmation and shipping documents

Recommended inquiry information

Application + width + thickness + backing + color + quantity + destination port + target price + sample photo. The more exact the inquiry, the faster we can match the material and quote.



Contact & Sample Request

Tell us your application and target specification

VELORATEC

PVC synthetic leather and PVC coated fabric solutions for international buyers.

Sample request checklist

- End use: car seat, sofa, shoes, bags, placemat, yoga mat, industrial use, etc.
- Preferred width and thickness
- Surface grain / matte or glossy level
- Backing requirement: polyester, TC or custom
- Color target or reference photo
- Quantity and destination port

Business Development

Judy Zhou

Veloratec Inc.

Email: judy@veloratec.com

Web: <https://veloratec.com/>

Alibaba: [veloratec.en.alibaba.com](https://www.alibaba.com/company/veloratec)

Address: 2F-01 Center Park, Hangzhou City, Zhejiang Province, China



Disclaimer: Product visuals in this catalog are for style and application reference. Final color, texture, specification and performance shall be confirmed by physical sample and purchase contract.